Plenti

Product Specification Brochure



connection

connection.uk.com



Plenti

When constructing a new space or conceiving a new piece of commercial furniture, flexibility and a wider range of possibilities should be high on the list of potential criteria.

The Plenti table range has been constructed to deliver on exactly this. Designed to flex to an infinite number of sizes, its variety means no specials, just simplicity in specification. Built upon multiple options for sizings, finishes and power, the Plenti table range can completely cover the spectrum of table requirements.

The sheer breadth of options mean that Plenti tables can work in whatever way you want them to, from the boardroom to breakout spaces and work café areas.





Plenti

Product Information

- Available to configure in an infinite number of sizes
- 9 width options from 800 – 1,600 (+100mm increments).
- 36 length options from 800 – 7,000(+200mm increments)
- Diner & Poseur table heights available
- Solid ash (stained) natural oak, stained walnut, stained black legs options.
- Table top power options:

  Plain, with power (Pandora & Peak), with power & lights, with lights only

- 18mm tabletop finish options:
  - MDF Egger laminates, with reverse chamfered edge (1,200 max width)
  - MDF Soft touch laminates, with reverse chamfered edge (luvhi x 8 colours only) (1,200 max width)
  - MFC 2mm PVC straight edge x12 finishes
- Designed & made in the UK

Refer to the table below to help specify your Plenti product

Plenti Range Code	Width (mm)	Length (mm)	Height	Cut-Outs	Top Finish Type	Leg Colour
TPT	0800	0800	Diner 750mm	None (Plain)	MFC	Natural Ash
	0900	1000	Poser 1,043mm	Peak Power	Egger Laminate	Oak stain
	1000	1200		Peak Power + Lights	Merino Soft Touch	Walnut stain
	1100	1400		Pandora Power		Black stain
	1200	1600		Pandora Power + Lights		
	1300	1800		Lights		
	1500	2000				
	1600	2200				
		2400				
		2600				
		2800				
		3000				
		3200				
		3400				
		3600				
		3800				
		4000				
		4200				
		4400				
		4600				
		4800				
		5000				
		5200				
		5400				
		5600				
		5800				
		6000				
		6200				
		6400				
		6600				
		6800				
		7000				

Round Tables
900 Diameter
1200 Diameter
1500 Diameter

Table Leg / Top Guide:

Tops	Length	Middle Leg	Corner Leg
1 Piece Top	800 - 2,400mm	**0**	**4**
2 Piece Top	2,600 - 4,600mm	**2**	**4**
3 Piece Top	4,800 - 6,200mm	**4**	**4**
4 Piece Top	6,400 - 7000mm	**6**	**4**



Plenti

Top finishes

Egger 18mm MFC finishes

White
W1000

Pearl Grey
U763

Carbon Grey
U968

Black
U999

Lancaster Oak
H3368

Sand Birch
H1732

Sevilla Ash
H1223

Natural
Halifax Oak
H1180

Tobacco
Gladstone Oak
H3325

Marone
Casella Oak
H1369

Grey/Beige
Gladstone Oak
H3326

Grey
Sacramento Oak
H1143

EGGER

Standard Egger Laminate Finishes

For the full range of laminate finishes available please visit: www.egger.com

Please note: not all of Egger's laminate options are available, please speak to your account manager or our customer service team.

Merino Soft Touch laminate finishes

Wan White
27141

Chalky White
27181

Blaze Grey
27189

Drawn Grey
27149

Shibori Blue
27112

Aqua Green
27113

Shadow Grey
27139

Charcoal
27106

MFC
Straight Edge:

Laminate
Reverse Chamfer Edge:

Frame finishes

Wooden leg finishes

Natural Ash
ASH

Ash Stained
Oak
AOA

Ash Stained
Walnut
AMW

Ash Stained
Black
ABL

connection
connection.uk.com



Plenti


Power & lights

Power Cut-Out & Light Guide

Table Size (Length)	Power Cut-Outs	Lights
800 - 1600mm	1	0
1800 - 2600mm	2	1
2600 - 4200mm	2	2
4400 - 4600mm	4	2
4800 - 6200mm	4	3
6400 - 7000mm	6	4

Table Size (Diameter)	Power Cut-Outs	Lights
900mm	1	0
1200mm	1	0
1500mm	1	0

Power unit (Peak or Pandora)

Power Code	Description	Visual
Type A	3 UK fused power sockets	
Type C	1 dual CAT6 unshielded data socket & 2 UK fused power sockets	
Type D	1 dual USB charger & 2 UK fused power sockets	
Type E	1 dual CAT6 unshielded data, 1 dual USB charger & 1 UK fused power socket	
Type F	1 HDMI, 1 dual USB charger & 1 UK fused power socket	



Peak Power



Pandora Power

Lights

Description: LOOLA task lamp from Manade. Fitted with the latest generation LED source with articulated arm for maximum flexibility and sensitive dimmer, to adjust light intensity.





Head Office & Showroom
Unit 4 AAA Park
Leeds Road
Mirfield
WF14 0DE

Tel: 01484 600 100
info-UK@flokk.com

London Showroom
31 Great Sutton Street,
Clerkenwell,
London,
EC1V 0NA

Tel: 020 7253 9877

Manchester Showroom
3-7 Booth Street,
Manchester,
M2 4DU

© Flokk Ltd 2024. All rights reserved.

connection
connection.uk.com