

Data quality:


Specific data for the product composition are provided by the manufacturer. They represent the production of the declared product and were collected for EPD development in the year of study. Background data is based on registered EPDs according to EN 15804, Ostfold Research databases, ecoinvent and other LCA databases. The data quality of the raw materials in A1 is presented in the table below.

Materials	Source	Data quality	Year
Adhesive	ecoinvent 3.6	Database	2019
Metal - Aluminium	ecoinvent 3.6	Database	2019
Metal - Steel	ecoinvent 3.6	Database	2019
Others	ecoinvent 3.6	Database	2019
Packaging - Paper	ecoinvent 3.6	Database	2019
Packaging - Plastic	ecoinvent 3.6	Database	2019
Plastic - Nylon (PA)	ecoinvent 3.6	Database	2019
Plastic - Polyethylene terephthalate (PET)	ecoinvent 3.6	Database	2019
Plastic - Polyoxymethylene (POM)	ecoinvent 3.6	Database	2019
Plastic - Polypropylene (PP)	ecoinvent 3.6	Database	2019
Plastic - Polyurethane (PUR)	ecoinvent 3.6	Database	2019
Powder coating	Ecoinvent 3.6	Database	2019
Printed paper	ecoinvent 3.6	Database	2019
Reinforcement	ecoinvent 3.6	Database	2019
Rubber, synthetic	ecoinvent 3.6	Database	2019
Textile - Polyester (PE)	ecoinvent 3.6	Database	2019
Packaging - Cardboard	Modified ecoinvent 3.6	Database	2019
Plastic - Nylon (PA)	Modified ecoinvent 3.6	Database	2019
Plastic - Polyamide	Modified ecoinvent 3.6	Database	2019
Plastic - Polypropylene (PP)	Modified ecoinvent 3.6	Database	2019
Recycled cardboard	Modified ecoinvent 3.6	Database	2019
Textile - Felt	Modified ecoinvent 3.6	Database	2019
Textile - Polyester (PE)	Modified ecoinvent 3.6	Database	2019
Metal - Steel	SSAB	EPD (EN15804A1) + company dataset (EN15804A2)	2020

System boundaries (X=included, MND=module not declared, MNR=module not relevant)

Product stage			Construction installation stage		Use stage						End of life stage				Beyond the system boundaries	
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling-potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
X	X	X	X	X	MND	X	X	X	MND	MND	MND	X	X	X	X	X

System boundary:



Additional technical information:

LCA: Results

The LCA results are presented below for the declared unit defined on page 2 of the EPD document.

Environmental impact							
Indicator	Unit	A1-A3	A4	A5	B2	B3	
GWP-total	kg CO ₂ -eq	4,31E+01	1,39E+00	3,87E+00	4,16E+00	8,01E-02	
GWP-fossil	kg CO ₂ -eq	4,66E+01	1,39E+00	4,46E-02	4,12E+00	7,47E-02	
GWP-biogenic	kg CO ₂ -eq	-3,56E+00	5,97E-04	3,82E+00	2,72E-02	1,36E-03	
GWP-luluc	kg CO ₂ -eq	5,07E-02	4,25E-04	1,27E-05	1,26E-02	4,09E-03	
ODP	kg CFC11 -eq	2,19E-06	3,36E-07	8,18E-09	3,67E-07	8,08E-09	
AP	mol H+ -eq	2,12E-01	4,49E-03	1,83E-04	2,39E-02	3,44E-04	
EP-FreshWater	kg P -eq	1,87E-03	1,11E-05	3,16E-07	3,28E-04	4,94E-06	
EP-Marine	kg N -eq	4,48E-02	9,83E-04	6,63E-05	3,79E-03	5,44E-05	
EP-Terrestrial	mol N -eq	4,37E-01	1,10E-02	6,54E-04	4,43E-02	7,31E-04	
POCP	kg NMVOC -eq	1,42E-01	4,30E-03	1,89E-04	1,38E-02	1,71E-04	
ADP-minerals&metals ¹	kg Sb -eq	1,04E-02	2,48E-05	9,30E-07	1,14E-04	1,16E-06	
ADP-fossil ¹	MJ	6,42E+02	2,26E+01	5,43E-01	7,15E+01	2,02E+00	
WDP ¹	m ³	3,67E+03	1,74E+01	7,65E-01	1,46E+03	1,56E+02	

Indicator	Unit	B4	C1	C2	C3	C4	D
GWP-total	kg CO ₂ -eq	0	0	2,62E-01	1,21E+01	7,83E-02	-2,88E+00
GWP-fossil	kg CO ₂ -eq	0	0	2,61E-01	1,16E+01	7,82E-02	-2,85E+00
GWP-biogenic	kg CO ₂ -eq	0	0	1,08E-04	5,43E-01	5,92E-05	-3,55E-03
GWP-luluc	kg CO ₂ -eq	0	0	9,30E-05	6,34E-05	2,27E-05	-2,62E-02
ODP	kg CFC11 -eq	0	0	5,92E-08	3,61E-08	2,30E-08	-4,27E-02
AP	mol H+ -eq	0	0	7,51E-04	4,51E-03	5,31E-04	-1,66E-02
EP-FreshWater	kg P -eq	0	0	2,09E-06	3,84E-06	8,02E-07	-1,85E-04
EP-Marine	kg N -eq	0	0	1,49E-04	2,34E-03	1,89E-04	-3,86E-03
EP-Terrestrial	mol N -eq	0	0	1,66E-03	2,32E-02	2,09E-03	-4,05E-02
POCP	kg NMVOC -eq	0	0	6,37E-04	5,61E-03	6,00E-04	-1,55E-02
ADP-minerals&metals ¹	kg Sb -eq	0	0	7,22E-06	1,53E-06	1,28E-06	-3,98E-05
ADP-fossil ¹	MJ	0	0	3,95E+00	2,58E+00	1,71E+00	-2,86E+01
WDP ¹	m ³	0	0	3,82E+00	3,73E+00	3,84E+00	-1,56E+02

GWP-total = Global Warming Potential total; GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

"Reading example: 9,0 E-03 = 9,0*10⁻³ = 0,009"

*INA Indicator Not Assessed

1. The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

Remarks to environmental impacts

Additional environmental impact indicators							
Indicator	Unit	A1-A3	A4	A5	B2	B3	
PM	Disease incidence	2,70E-06	1,28E-07	2,73E-09	1,99E-07	1,83E-09	
IRP ²	kgBq U235 -eq	1,63E+00	9,89E-02	2,33E-03	5,42E-01	4,60E-02	
ETP-fw ¹	CTUe	1,18E+03	1,66E+01	7,12E-01	7,79E+01	2,53E+00	
HTP-c ¹	CTUh	6,71E-08	0,00E+00	2,00E-11	1,12E-08	5,90E-11	
HTP-nc ¹	CTUh	7,41E-07	1,60E-08	8,84E-10	2,49E-07	1,55E-09	
SQP ¹	dimensionless	3,86E+02	2,59E+01	4,01E-01	2,14E+01	1,52E+00	

Indicator	Unit	B4	C1	C2	C3	C4	D
PM	Disease incidence	0	0	1,60E-08	2,97E-08	9,60E-09	-4,77E-07
IRP ²	kgBq U235 -eq	0	0	1,73E-02	5,14E-03	6,88E-03	-6,14E-02
ETP-fw ¹	CTUe	0	0	2,93E+00	3,08E+01	1,08E+00	-1,61E+02
HTP-c ¹	CTUh	0	0	0,00E+00	8,21E-10	3,70E-11	-1,11E-08
HTP-nc ¹	CTUh	0	0	3,20E-09	2,10E-08	1,12E-09	1,56E-07
SQP ¹	dimensionless	0	0	2,76E+00	3,70E-01	3,73E+00	-5,73E+01

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

"Reading example: 9,0 E-03 = 9,0*10⁻³ = 0,009"

*INA Indicator Not Assessed

1. The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator
2. This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

Resource use							
Indicator		Unit	A1-A3	A4	A5	B2	B3
	PERE	MJ	1,44E+02	2,85E-01	9,24E-03	1,22E+01	1,98E+00
	PERM	MJ	2,54E+01	0,00E+00	-2,20E+01	0,00E+00	0,00E+00
	PERT	MJ	1,75E+02	2,85E-01	-2,20E+01	1,22E+01	1,98E+00
	PENRE	MJ	4,50E+02	2,26E+01	5,44E-01	7,16E+01	2,05E+00
	PENRM	MJ	1,50E+02	0,00E+00	-4,40E+00	0,00E+00	0,00E+00
	PENRT	MJ	6,91E+02	2,26E+01	-3,85E+00	7,16E+01	2,05E+00
	SM	kg	6,88E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	RSF	MJ	8,28E-01	9,96E-03	3,01E-04	7,76E-01	2,00E-02
	NRSF	MJ	1,68E-01	3,34E-02	1,21E-03	7,36E-01	0,00E+00
	FW	m ³	1,21E+00	2,58E-03	2,58E-04	1,18E+01	9,03E-03

Indicator		Unit	B4	C1	C2	C3	C4	D
	PERE	MJ	0	0	5,66E-02	9,78E-02	3,39E-02	-5,44E+01
	PERM	MJ	0	0	0,00E+00	-2,12E-01	0,00E+00	0,00E+00
	PERT	MJ	0	0	5,66E-02	-1,14E-01	3,39E-02	-5,44E+01
	PENRE	MJ	0	0	3,95E+00	2,64E+00	1,71E+00	-2,86E+01
	PENRM	MJ	0	0	0,00E+00	-1,45E+02	0,00E+00	0,00E+00
	PENRT	MJ	0	0	3,95E+00	-1,43E+02	1,71E+00	-2,86E+01
	SM	kg	0	0	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	RSF	MJ	0	0	2,02E-03	2,32E-03	8,92E-04	6,23E-02
	NRSF	MJ	0	0	7,24E-03	0,00E+00	4,74E-02	-9,76E-01
	FW	m ³	0	0	4,23E-04	7,99E-03	1,54E-03	-7,34E-02

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary materials; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Net use of fresh water

"Reading example: 9,0 E-03 = 9,0*10⁻³ = 0,009"

*INA Indicator Not Assessed

End of life - Waste							
Indicator		Unit	A1-A3	A4	A5	B2	B3
	HWD	kg	5,40E-01	1,24E-03	0,00E+00	1,32E-02	1,89E-04
	NHWD	kg	9,88E+00	1,97E+00	2,36E+00	8,51E-01	1,25E-02
	RWD	kg	3,04E-03	1,55E-04	0,00E+00	4,33E-04	2,11E-05

Indicator		Unit	B4	C1	C2	C3	C4	D
	HWD	kg	0	0	2,04E-04	0,00E+00	6,62E+00	-9,60E-03
	NHWD	kg	0	0	1,92E-01	5,25E-01	1,32E-01	-1,09E+00
	RWD	kg	0	0	2,69E-05	0,00E+00	1,06E-05	-5,25E-05

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed

*Reading example: 9,0 E-03 = $9,0 \cdot 10^{-3}$ = 0,009"

*INA Indicator Not Assessed

End of life - Output flow							
Indicator		Unit	A1-A3	A4	A5	B2	B3
	CRU	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	MFR	kg	3,00E+00	0,00E+00	2,15E+00	0,00E+00	0,00E+00
	MER	kg	1,13E-05	0,00E+00	9,87E-04	0,00E+00	0,00E+00
	EEE	MJ	1,79E-01	0,00E+00	1,29E-01	0,00E+00	0,00E+00
	EET	MJ	2,71E+00	0,00E+00	1,95E+00	0,00E+00	0,00E+00

Indicator		Unit	B4	C1	C2	C3	C4	D
	CRU	kg	0	0	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	MFR	kg	0	0	0,00E+00	2,34E+00	0,00E+00	0,00E+00
	MER	kg	0	0	0,00E+00	1,36E+01	0,00E+00	0,00E+00
	EEE	MJ	0	0	0,00E+00	6,56E+00	0,00E+00	0,00E+00
	EET	MJ	0	0	0,00E+00	9,92E+01	0,00E+00	0,00E+00

CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported energy electrical; EET = Exported energy thermal

*Reading example: 9,0 E-03 = $9,0 \cdot 10^{-3}$ = 0,009"

*INA Indicator Not Assessed

Biogenic Carbon Content		
Indicator	Unit	At the factory gate
Biogenic carbon content in product	kg C	7,08E-03
Biogenic carbon content in accompanying packaging	kg C	1,04E+00

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂

Additional requirements

Greenhouse gas emissions from the use of electricity in the manufacturing phase

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) of applied electricity for the manufacturing process (A3).

Electricity mix	Data source	Amount	Unit
Electricity, Norway, high voltage, hydro power (kWh)	ecoinvent 3.6	6,29	g CO ₂ -eq/kWh

Dangerous substances

The product contains no substances given by the REACH Candidate list.

Indoor environment

Additional Environmental Information

Key Environmental Indicators

Key environmental indicators	Unit	A1-A3	A4	A1-C4	A1-D
GWPTotal	kg CO ₂ -eq	43,09	1,39	65,06	62,18
Total energy consumption	MJ	594,95	22,97	716,42	632,56
Amount of recycled materials	%	43,00			

Additional environmental impact indicators required in NPCR Part A for construction products

Indicator	Unit	A1-A3	A4	A5	B2	B3
GWPIOBC	kg CO ₂ -eq	3,72E+01	1,39E+00	2,21E-02	4,20E+00	1,09E-01

Indicator	Unit	B4	C1	C2	C3	C4	D
GWPIOBC	kg CO ₂ -eq	0	0	2,62E-01	1,16E+01	8,13E-02	-3,84E+00

GWPTotal: Global warming potential calculated according to the principle of instantaneous oxidation. In order to increase the transparency of biogenic carbon contribution to climate impact, the indicator GWP-IOBC is required as it declares climate impacts calculated according to the principle of instantaneous oxidation. GWP-IOBC is also referred to as GWP-GHG in context to Swedish public procurement legislation.

Variants and Options

Key environmental indicators (A1-A3) for variants of this EPD





Variants	Weight (kg)	GWPTotal (kg CO ₂ -eq)	Total energy consumption (MJ)	Amount of recycled materials (%)
HÅG Creed 6002 - Upholstered seat/low back (Cura/Gabriel) - No packaging	13,46	44,45	552,20	39,77
HÅG Creed 6003 - Upholstered seat/medium back (Cura/Gabriel) - No packaging	13,09	40,89	487,14	41,39
HÅG Creed 6004 - Upholstered seat/medium back (Cura/Gabriel) - No packaging	13,62	44,27	531,58	40,37
HÅG Creed 6005 - Upholstered seat/high back (Cura/Gabriel) - No packaging	13,29	41,46	494,11	42,10
HÅG Creed 6006 - Upholstered seat/high back (Cura/Gabriel) - No packaging	13,92	45,71	549,56	40,61
HÅG Creed 6056 Comfort - Upholstered seat/high back (Cura/Gabriel) - No packaging	14,11	46,70	564,36	40,35

Key environmental indicators (A1-A3) for options for this EPD

Options	Weight (kg)	GWPTotal (kg CO ₂ -eq)	Total energy consumption (MJ)	Amount of recycled materials (%)
HÅG Creed Headrest - Upholstered (Cura/Gabriel)	2,60	7,92	112,59	25,36
HÅG Footring	1,69	2,63	30,57	91,97
HÅG Creed Armrests without Swingback function	3,09	23,79	231,95	18,97
HÅG Creed Armrests with Swingback function	2,88	21,84	245,61	47,43
HÅG Creed Armrests 3D without Swingback function	4,63	16,22	176,78	45,37
HÅG Creed Armrests 3D with Swingback function	4,43	14,26	190,43	65,12
Packaging 1 (Small box, not assembled - used in declared unit)	2,38	-1,18	63,37	58,08
Packaging 2 (large box, fully assembled)	4,54	-2,51	117,06	66,39

Bibliography

ISO 14025:2010 Environmental labels and declarations - Type III environmental declarations - Principles and procedures.
 ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.
 EN 15804:2012+A2:2019 Environmental product declaration - Core rules for the product category of construction products.
 ISO 21930:2017 Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products.
 ecoinvent v3, Allocation, cut-off by classification, Swiss Centre of Life Cycle Inventories.
 Iversen et al., (2021) eEPD v2021.09 Background information for EPD generator tool system verification, LCA.no Report number: 07.21
 Ruud et al., (2023) EPD generator for NPCR026 Part B for Furniture - Background information for EPD generator application and LCA data, LCA.no report number 01.23
 NPCR Part A: Construction products and services. Ver. 2.0. March 2021, EPD-Norge.
 NPCR 026 Part B for Furniture. Ver. 2.0 March 2022, EPD-Norge.

	Program operator and publisher The Norwegian EPD Foundation Post Box 5250 Majorstuen, 0303 Oslo, Norway	Phone: +47 23 08 80 00 e-mail: post@epd-norge.no web: www.epd-norge.no
	Owner of the declaration: Flokk AS Drammensveien 145,, 0277 Oslo	Phone: 0047 98 25 68 30 e-mail: atle.messel@flokke.com web: https://www.flokke.com
	Author of the Life Cycle Assessment LCA.no AS Dokka 6B, 1671	Phone: +47 916 50 916 e-mail: post@lca.no web: www.lca.no
	Developer of EPD generator LCA.no AS Dokka 6B,1671 Kråkerøy	Phone: +47 916 50 916 e-mail: post@lca.no web: www.lca.no
	ECO Platform ECO Portal	web: www.eco-platform.org web: ECO Portal