



Offecct AB
Attn.: Maria Ragnarsson
Box 100
SE-543 21, Tibro

Order no. 647998-18
Page 1 of 1
Appendices 2
Initials laha/prni/hbs

Gregersensvej
DK-2630 Taastrup
Tel. +45 72 20 20 00
Fax +45 72 20 20 19

info@teknologisk.dk
www.teknologisk.dk

Test Report

Material: Model: Archipelago Table

Type:	Table		
Diameter:	600 mm	Height	605 mm
Weight:	9 kg		
Materials:	Tabletop: Veneered plywood Legs: Solid ash		

Sampling: The test material was sampled by the client and received at the Danish Technological Institute 23-10-2015.

EN 15372:2008 Furniture – Strength, durability and safety – Requirements for non-domestic tables.

Test level 2: General use: General hotel, café, restaurant, public hall, banks, bars, meeting rooms.

Period: The testing was carried out from 23-10-2015 to 10-11-2015.

Result: Model Archipelago Table fulfils the requirements in EN 15372:2008.

Individual results appear from Appendix 1.

Storage: The test material will be destroyed after 1 month, unless otherwise agreed.

Terms: The test has been performed according to the attached conditions, which are according to the guidelines laid down by DANAK (The Danish Accreditation). The testing is only valid for the tested specimen. The test report may only be extracted, if the laboratory has approved the extract

10-11-2015, Danish Technological Institute, Wood Technology, Taastrup



Lars Hansen
Test responsible



Per A. Nielsen
Co-reader

Order no. 647998-18
Appendix 1
Page 1 of 1
Initials laha/prni/hbs

Test of Model: Archipelago Table

EN 15372:2008 Stability, strength and durability tests

Test	Test Method	Cycles	2	Result
Stability under vertical load	EN 1730:2000, 6.7	Test force, N Main surface V ₁ V ₂ Anc. surface V ₁ V ₂	200 400 100 200	Passed
Stability for tables with extension elements	5.3.2	Test force, N	200	N/A
Horizontal static load	EN 1730:2000, 6.2	Test force, N: High (>600) Low (600 or less) 10 times	400 200	Passed
Vertical static load	EN 1730:2000, 6.3	Test force, N: a) Main surface b) Anc. surface 10 times	1250 300	Passed
Horizontal fatigue	EN 1730:2000, 6.4	No. cycles: Test force 300 N	15.000	Passed
Vertical fatigue for cantilever or pedestal tables	EN 1730:2000, 6.5	No. cycles: Test force 300 N	15.000	N/A
Vertical impact for tables without glass in their construction	EN 1730:2000, 6.6	Drop height, mm: 10 times	180	Passed
Vertical impact for tables with glass in their construction	EN 1730:2000, 6.6 EN 14072:2003, 6 ²	Drop height, mm: Safety glass ¹⁾ Other glass	180 240	N/A
Drop test for tables weighing more than 20 kg	Annex A	Nom. drop height mm – tables without glass Nom. drop height mm – tables with glass	100 50	N/A

¹ Glass is considered to be safety glass, if the glass fulfils the requirements in EN 12150-1:2000, Clause 8, fragmentation test; or where the mode of breakage (β) according to EN 12600 is Type B or Type C

² Impact for the table top in accordance with the positions defined within EN 1730:2000, 6.6

Order no. 647998-18
Appendix 2
Page 1 of 1
Initials laha/prni/hbs

Test of Model: Archipelago Table

Photo



Danish Accreditation (DANAK):

DANAK is the national accreditation body in Denmark in compliance with EU regulation No. 765/2008.

DANAK participates in the multilateral agreements for testing and calibration under European co-operation for Accreditation (EA) and under International Laboratory Accreditation Cooperation (ILAC) based on peer evaluation. Accredited test reports and calibration certificates issued by laboratories accredited by DANAK are recognized cross border by members of EA and ILAC equal to test reports and calibration certificates issued by these members' accredited laboratories.

The use of the accreditation mark on test reports and calibration certificates or reference to accreditation, documents that the service is provided as an accredited service under the company's DANAK accreditation according to EN ISO IEC 17025.

Construction Product Directive:

The Danish Technological Institute guarantees that employees carrying out tests to be used together with harmonized standards under notification no. 1235 according to EU regulation 305/2011, article 43, satisfy all the requirements made for capability, integrity and impartiality. You find the CPR here: http://ec.europa.eu/growth/single-market/european-standards/harmonised-standards/construction-products/index_en.htm

September 2015