Łukasiewicz Poznań Fechnology

ŁUKASIEWICZ RESEARCH NETWORK - POZNAŃ INSTITUTE OF TECHNOLOGY

ul. Ewarysta Estkowskiego 6, 61-755 Poznań, Poland
• tel: +48618504890 • fax: +48618526376 • e-mail: office@pit.lukasiewicz.gov.pl

WOOD TECHNOLOGY CENTRE

TESTING LABORATORY OF WOOD, WOOD-BASED MATERIALS, PACKAGING, FURNITURE AND CONSTRUCTIONS

ul. Winiarska 1, 60-654 Poznań, Poland

• tel: +48618492400 • fax: +48618224372 • e-mail: office.dbd@pit.lukasiewicz.gov.pl

• www: https://pit.lukasiewicz.gov.pl



FURNITURE TESTING SECTION

Poznań, 2023-08-21



TEST REPORT

BDD-23-A-3384

Subject of the order Tests of SOU 1LTL SOFA TABLE/1-SEAT LEFT ARMREST 516301LTL.

Order No. PZ/A/DBD/BDD/3384/23

Name and address of the client/manufacturer producer FLOKK sp. z o.o. ul. Górnicza 8 62-700 Turek

Performance date 2023-08-21

Operators Michał Rogoziński, Adam Remlein

Authorized by	

Michał Rogoziński

Marek Kalbrun

A qualified electronic signature has been affixed to this document, which according to the law is equivalent to written form.

1. IDENTIFICATION (DESCRIPTION OF THE TESTED OBJECT)

The tested object was SOU 1LTL SOFA TABLE/1-SEAT LEFT ARMREST 516301LTL, ordered for the tests by the company FLOKK sp. z o.o. The sample for tests was chosen by the orderer.

2. DATE THE OBJECT WAS RECEIVED FOR TESTING

The test sample was delivered for tests 2023-07-12.



3. SYMBOL AND NAME OF THE TEST METHOD APPLIED

The tests were carried out according to the standards:

PN-EN 16139:2013/AC:2013 Furniture - Strength, durability and safety - Requirements for non-domestic seating" test level 1,

PN-EN 15372:2016-12, Furniture - Strength, durability and safety - Requirements for non-domestic tables test level: 1

Test Method 2D, 3D.

4. LIST OF MEASURING APPARATUSES

The following equipment was used for the tests:

- seating furniture testing apparatus No. D1/B2,
- loading point setting template No. D3/P09
- force measuring set AST No. D2/04,
- metal measuring tape No. D2/19,
- furniture drop test rig D3/B2, D3/N04,
- furniture test rig D2/13,
- furniture stability testing apparatus No. D3/B1A-B,

The equipment was currently checked before use.

5. TEST RESULTS

Test results are shown in protocols No. $1 \div 3/3384$.

6. STATEMENT

Test results described in protocols refer only to the tested sample.

Test report can not be copied in parts only as entire form.

PROTOCOL No. 1/3384 NON-DOMESTIC SEATING STRENGTH, DURABILITY AND SAFETY TESTS

According to: Tested object PN-EN 16139:2013/AC:2013, test level 1

SOU 1LTL SOFA TABLE/1-SEAT LEFT ARMREST 516301LTL

Orderer FLOKK sp. z o.o.

PZ/A/DBD/BDD/3384/23 Order No.

Listing acc. PN-EN 16139			Type of test Test parameters		Test results
	4.1		Safety – General	neral acc. norm	
4.2.1			Shear and squeeze points when setting up and folding	acc. norm	pass
4.2.2			Shear and squeeze points under influence of powered mechanisms	· · · · · · · · · · · · · · · · · · ·	
4.2.3			Shear and squeeze points during use acc. norm		pass
4.3.1		•	Stability - General acc. norm		pass
4.3.2			Swiveling chairs -		not applicable
4.3.3			Non swiveling chairs	Non swiveling chairs acc. norm	
4.4			Rolling resistance of the unloaded chair	-	not applicable
4.5			Safety of the construction	acc. norm	pass
	5		Safety, strength and durability requirements	acc. norm	pass
		1	Seat and back static load test	P ₁ =1600 N , P ₂ =560 N , n=10	pass
		2	Seat front edge static load test	P=1300 N , n=10	pass
		3	Vertical static load on back	P ₁ =600 N , P ₂ =1300 N , n=10	pass
		4	Foot rest and leg rest static load test	-	not applicable
		5	Arm sideways static load test	P=400 N , n=10	pass
		6	Arm downwards static load test	P=750 N , n=5	pass
		7	Vertical upwards static load on arm rest	1	not applicable
		8	Seat and back durability test	P ₁ =1000 N , P ₂ =300 N n=100 000	pass
	1	9	Seat front edge durability test	P=800 N , n=50 000	pass
6	Table	10	Arm durability test	P=400 N , n=30 000	pass
		11	Foot rest durability test	-	not applicable
		12	Leg forward static load test	P ₁ =500 N , P ₂ =1000 N , n=10	pass
		13	Leg sideways static load test	P ₁ =400 N , P ₂ =1000 N , n=10	pass
		14	Seat impact test	h=240 mm , n=10	pass
		15	Back impact test	h=210 mm , n=10	pass
		16	Arm impact test	h=210 mm , α=38°, n=10	pass
		17	Drop test (multiple seating)	-	not applicable
		18	Auxiliary writing surface static load test	-	not applicable
	Ī	19	Auxiliary writing surface durability test	-	not applicable
	7		Information for use	acc. norm	pass

PROTOCOL No. 2/3384 SEATING FURNITURE STABILITY

According to: PN-EN 1022:2019
Tested object SOU 1LTL SOFA

Tested object SOU 1LTL SOFA TABLE/1-SEAT LEFT ARMREST 516301LTL

Orderer FLOKK sp. z o.o.

Order No. PZ/A/DBD/BDD/3384/23

Test Number acc. PN-EN 1022	Test type acc. PN-EN 1022	Test results
7.3.1	Forwards overturning	pass
7.3.2	Forwards overturning for seating with foot rest	not applicable
7.3.3	Corner stability test	not applicable
7.3.4	Sideways overturning, all seating without arm rests	
7.3.5.2	7.3.5.2 Seating with arm rests	
7.3.5.3 Seating with raised side edges		not applicable
7.3.6	7.3.6 Rearwards overturning all seating with back rest	
7.4.2	Tilting seating	not applicable
7.4.3	Reclining seating with leg rest	not applicable
7.4.4 Reclining seating without leg rest		not applicable
7.4.5 Rearwards stability test for rocking chairs		not applicable
8.3.1 Loungers – Forwards overturning		not applicable
8.3.2 Loungers – Sideways overturning		not applicable

PROTOCOL No. 3/3384 NON-DOMESTIC TABLE STRENGTH TESTS

acc. PN-EN 15372:2016-12 test level: 1

Subject of test: SOU 1LTL SOFA TABLE/1-SEAT LEFT ARMREST 516301LTL

Orderer: FLOKK sp. z o.o.

Order No.: PZ/A/DBD/BDD/3384/23

Listing acc. EN 15372		Type of test	Parameters	Results
5.1		General requirements	acc. norm	pass
5.2.1	She	ear and squeeze points when setting up and folding	-	not applicable
5.2.2	Shear and squeeze points under influence of powered mechanisms		-	not applicable
5.2.3		Shear and squeeze points during use	acc. norm	pass
5.3.1.2		Test of tables that are or can be set to a height ≤ 950 mm	V₁=200 N	pass
5.3.1.3	Stability	Test of tables that are or can be set to a height > 950 mm	-	not applicable
5.3.2	0,	Stability for tables with extension elements	-	not applicable
tabela 2 p.1		Horizontal static load test	P=400 N Q=50 kg n=10	pass
tabela 2 p.2		Vertical static load on main surface	P=1000 N n=10	pass
tabela 2 p.3	Addi	itional vertical static load test where the main surface has a length > 1600 mm	-	not applicable
tabela 2 p.4		Vertical static load on ancillary surface	-	not applicable
tabela 2 p.5		Horizontal durability test	P=300 N Q=50 kg n=10000	pass
tabela 2 p.6	Vertic	cal durability test for cantilever and tables with central column only	-	not applicable
tabela 2 p.7		Vertical impact test for glass tabletops	-	not applicable
tabela 2 p.8	8 Vertical impact test for all other tabletops		h=140 mm n=10	pass
tabela 2 p.9	2 p.9 Drop test – for tables weighing more than 20 kg only		nominal drop height 100 mm – tables without glass	pass
tabela 2 p.10		Stability under vertical load test	V ₁ =200 N	see 5.3.1.2
tabela 2 p.11	Stability for tables with extension elements		-	see 5.3.2
6		Information for use	acc. norm	pass

M. Rogoziński, A. Remlein Operators 2023-08-21 Date

----- end of test report -----