# 24/7 fabrics - heavy duty usage areas

Fabrics for observation, monitoring, intense computer work and other heavy duty areas





## HIGH PERFORMANCE

The 24/7 Standard Fabric & Colour Collection is our collection of fabrics, leathers and other materials.

The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leathers in our 24/7 Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements. These fabrics are tested and approved according to our quality standards.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

**NOTE!** Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group and with a longer delivery time. Please contact our Customer Service for more information.



#### 24/7+ CAMIRA

24/7+ is a tightly woven construction with inherent flame retardancy designed to withstand the rigorous 24/7 use. Made from highly resilient fibre types to create a textile that achieves optimum strength.

Material 50% polyamide / 33% wool / 10% flame retar-

dant viscose / 7% viscose

Weight 435g/m2 ±5%

>400,000 Martindale (EN ISO 12947-2) Abrasion resistance

Flammability BS EN 1021: 1-2 (Cigarette & match), BS

7176 Medium Hazard IMO FTP Code (Part 8), BS 5852 Section 4 Crib 5, UNI 9175 Class 1 IM

5 (EN ISO 105 - B02) Light fastness

4/4 (Wet/Dry) (EN ISO 105X12) Rubbing fastness

**Environmental facts** Manufacturing process - fully compliant with

ISO 14001

Design Camira Design Studio

Produced in United Kingdom

Cleaning Professional dry cleaning (For further info

follow Camira's cleaning guide -

www.camirafabrics.com)



WK002



WK012 (S)



WK017







For more info see www.flokk.com/rh



#### CABANA (VYVA FABRICS)

Cabana is a polyurethane based synthetic leather with a grainy leather look. It is supple with a soft touch and a comfortable grip. It's high durability and good surface resistance makes it suitable for high demanding environments.



CBN6728

Material 100% Polyurethane (100% Rayon Backing)

Weight 430g/m2

Abrasion resistance 300 000 Martindale (EN ISO 12947-2)

Flammability BS EN 1021: 1-2 (Cigarette & match), BS 5852

- Source#0, IMO Res. A.652 (16) 8.2,8.3, CA TB

117-2013

UV Stability CFFA 2 C2; ASTM D 4329

Tear-strength CFFA 16C, ASTM D751-06

Tensile strength CFFA 17, ASTM D-751-06

**Hydrolytic stability** 7 Year Hydrolysis ASTM D 3690-02

Cleaning & disinfection Alcohol and bleach cleanable (See recommended

solutions www.vyvafabrics.com)

NOTE! Only available for RH Secur24 (inner seat- and back pad)





lammability 2

24 hour use





#### ULTRA (CLIMATEX/JAB)

Ultra is a light and durable fabric made with a mix of natural and synthetic fibers, combined to fulfill the Climatex textile lock technology. This innovative weaving technique allows moisture and temperature to be regulated and provides the fabric with its flame-retardant and durable properties.

Material 72% Cradura TM, PA (Polyamide polymer)

16% wool, 12% Redesigned Lenzing FR TM,

CV(Flame-resistant cellulosic fiber)

Weight 437 g/lfm

500'000 Martindale, EN ISO 12947-2 Abrasion resistance

Flammability BS EN 1021: 1&2 (Cigarette & match), BS 5852-

0/1, California TB 117-2013

6-7 (EN ISO 105-B02) Light fastness

Rubbing fastness 4-5 (Wet/Dry) (EN ISO 105X12)

Environmental facts Cradle to Cradle Silver, Oekotex 100, Recyclable

with separable components, using renewable

energy in production

Design Climatex design studio

Produced in Germany

Cleaning & disinfection Professional dry cleaning (For further info

please contact www.climatex@jab.de)

CLI054, CLA093, CLI095 – Available as Special request for RH Secur24 Approved for: RH Focus & available as special request for RH Secur24

















CLI095



CLI099





#### STACCATO (DUVALTEX/GUILFORD OF MAINE)

Staccato is a highly durable woven polyamide fabric with a stain repellent surface.



SC07020

Material 100% Polyamide (acrylic backcoating)

Weight  $14.9 \pm 1.0$  oz./lin. yd

Abrasion resistance 150.000 double rubs cotton duck (Wyzenbeek)

Flammabilit CA TB 117-2013

Light fastness Grade 4 min. at 40 hours (AATCC 16.3 Option 3)

Rubbing fastness Grade 3 min /4 min (Wet/Dry)

Produced in North America

Cleaning Can be disinfected (For further info please

contact www.guifordofmaine.com)

Approved for: RH Focus & available as special request for RH Secur24



SK07033







SK07047





#### TRENTO (ECCO LEATHER)

A full-grain, vegetable tanned leather made from cowhides of European origin. With a soft touch and natural character, it is designed to age with beauty.



TR0760

Lightfastness 5 (ABNT NBR 14392 – Grey & Blue Scale ≥ 3)

Rubbing Wet 500 cycles 4,5 - Dry 1000 cycles 4,5 / Sweat

100 cycles 4,5 – ISO 11640

Finish-adhesion  $\geq 5 \text{ N/1,0cm} - \text{ISO } 11644$ 

Environmental facts Vegetable tanned, no metallic colours

Produced in Italy

Cleaning Follow the guidelines: https://www.flokk.com/


en/norway/support/care-and-maintenance

Only available for RH Secur24





nmability 24 hou





#### ELMOSOFT (ELMO LEATHER)

Elmosoft is a chrome free supreme quality semianiline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.



EL33004

Flammability BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA

TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8

(IMO652), UNI 9175, Önorm B 3825, UNI 9175

Light fastness 6 (EN ISO 105-B02)

**Rubbing** Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion ≥ 2 N/cm - ISO 11644

Tear-strength ≥ 20 N/cm DIN 53329-A

Environmental facts 100% free of heavy metals, tanned without using

chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment

Plant and 100% CO2 neutral on energy.

Animal Welfareby All hides are by-products from the meat and dairy

industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal


welfare freedoms)

Produced in Sweden

Cleaning Follow the guidelines by our supplier -

www.elmoleather.com

Approved for: RH Secur24, RH Focus, RH Logic 200/220 Elite



EL99999





nability 24 hour us




### ELMOSOFT PIQUÉ

www.elmoleather.com



#### ELMOSOFT PIQUÉ (ELMO LEATHER)

Elmosoft Piqué is a soft and pliable semi-aniline grain leather from Scandinavian cattle. The piqué pattern gives ventilation and has excellent anti-slip. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.



TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8

(IM0652), UNI 9175, Önorm B 3825, UNI 9175

Light fastness 6 (EN ISO 105-B02)

**Rubbing** Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion ≥ 2 N/cm - ISO 11644

Tear-strength ≥ 20 N/cm DIN 53329-A

Environmental facts 100% free of heavy metals, tanned without using

chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment

Plant and 100% CO2 neutral on energy.

Animal Welfareby All hides are by-products from the meat and dairy

industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal

welfare freedoms)

Produced in Sweden

Cleaning Follow the guidelines by our supplier –

www.elmoleather.com

EL33004P, EL77127P – Available as special request for RH Secur24 Approved for: RH Secur24, RH Focus, RH Logic 200/220 Elite













EL33004P



EL77127P



EL99999P







#### Flokk AS

Drammensveien 145 - P.o Box Postboks 45 Skøyen, 0212 Oslo, Norway Tel: +47 22 59 59 00 info-no@flokk.com